

LIGHTING USA 12V Landsoape Light Specialist



UNBO2 INSTALLATION GUIDE

www.ABBALightingUSA.com



RATED VOLTAGE 12 AC/DC

Thank you for purchasing this quality product. To ensure correct function and safety, Please read and follow all instructions carefully before assembly, installation and before using this product.

IMPORTANT SAFETY INSTRUNCTIONS LIGHTEN LAMP IS HOT! WARNING: TO REDUCE THE RISK OF FIRE OR INJURY TO PERSONS:



Lamp gets HOT quickly!

Do not touch HOT lens, guard or enclosure.

- Keep lamp away from materials that may burn.
- Do not touch the lamp any time. Use soft cloth.
- It is recommended only qualified persons to install this electrical product.

Before attempting to install this unit, ensure all power connections are off for your own safety.

WARRANTY

- This fixture is covered by a 5 year warranty. The warranty is from the date of purchase, not the date of installation. Please keep the proof of purchase
- Warranty will be void if there is any damage due to improper usage or modification to the fixture.
- Failure to comply with the instruction in this manual may increase the risk of damage or injury and will void warranty.

www.ABBALightingUSA.com



CAUTION:

fixture(s) must be installed in accordance with all local codes and ordinances. Do not instal within 10 feet of a pool, spa or fountain

INSTALLATION INSTRUCTION

Fixture(s) should be used **"ONLY"** with low voltage landscape power units that do not exceed 25A, 15V.

The main cable from power units should be buried for less than 6 inches under the ground level.

1. Please ensure the light cable wires input are 12v ac/dc.

2. Turn off power before installation.

3. Attach the fixture(s) wires to the main cable connector suitable for direct burial and use waterproof wire nuts. **WN12** (Sold separately).

4. Excavate a hole in the ground, ensuring that there is a clearance of approximately 3 inches on all sides to allow for the placement of gravel.

5. Turn on the power.

3" Gravel Both sides Concrete Main line WN12 (Sold separately) 3" Gravel Below INSTALLATION ON CONCRETE 3" Gravel Both sides Soil Main line WN12 3" Gravel (Sold separately) INSTALLATION ON SOIL DIAMETER: 4.90" .42"

www.ABBALightingUSA.com