

ABBA

LIGHTING USA

2026 EDITION

American Best Buy Agency Inc.

Consult. Design. Production

State of Art Solution



DESIRE - DESIGN - DIVINE

ABBA Lighting USA is a specialized Distributor of 12V LED Lighting. We make every effort to provide superior products at highly competitive prices.

Here at ABBA Lighting USA, we never settle for the short term. We test and modify each product to insure it is the best of its quality. Your satisfaction is our ultimate goal.

We do our best to keep happier, more loyal customers. We have done that for so many years, and we will continue to do so.

Best Regards,
ABBA Lighting USA



LIMITED WARRANTY

ABBA Lighting USA warrants its outdoor and landscape lighting products and component parts to the original consumer purchaser free from defects in materials and workmanship for the applicable period specified below from the date of purchase.

Brass Fixtures: Lifetime Warranty. Brass finishes naturally patina in color, which is not a defect under this warranty.

Stainless Steel Fixtures: 5 Year Warranty

Aluminum Fixtures: 3 Year Warranty

Light Bulbs and Accessories: Not Applicable

Landscape Wire: Not Applicable

Transformers: 3 Year Warranty

Accessories include any extensions, couplings, separate timers, separate photocells, light bulbs, tree brackets, any ground spikes, remotes or controllers, Aluminum Profile Accessories, Grease Wire Nuts, and any other items stated as "accessory".

ABBA Lighting USA, at its sole discretion, will repair or replace, free of charge, during the applicable warranty period, any product or component part (as described above) that proves defective in material and/or workmanship under normal installation, use and service. If repair or replacement is not practical, ABBA Lighting USA may elect to refund the purchase price in exchange for the return of the product. Replacement parts are subject to availability and may differ from those originally supplied.

This warranty does not cover damage resulting from reasonable wear and tear, acts of God, misuse (including use of the product for an unintended application), abuse, improper packaging of product returned to ABBA Lighting USA, neglect and improper or incorrect installation, maintenance or repair, including failure to follow the applicable care and cleaning instructions. ABBA Lighting USA recommends using a professional electrician for all installation and repair of its products.

TABLE OF CONTENTS



PATH LIGHTS

PG 5-26

- Brass 7 - 15
- Stainless Steel 16 - 18
- Aluminum 19 - 26



SPOT LIGHTS

PG 27-38, 43-44

- Brass 21 - 31
- Stainless Steel 32
- Aluminum 33 - 36
- Palm Tree Lights 37 - 38
- Hanging Lights 43 - 44



FLOOD LIGHTS

PG 39-41

- Brass 40 - 41
- Aluminum 39



UNDERWATER LIGHTS

PG 45-46


- Pool / Spa 45
- Brass, Stainless Steel 46



IN-GROUND LIGHTS

PG 47-54

- Brass 47 - 50
- Stainless Steel 51 - 52
- Aluminum 53
- Fiber Glass 54



WELL LIGHTS

PG 55-56

- Brass 55 - 56
- Stainless Steel 55 - 56



STEP LIGHTS

PG 58 -66

- Brass 58 - 61
- Stainless Steel 62
- Aluminum 64-66
- Deck Lights 62-63

TABLE OF CONTENTS



STEP LIGHTS

PG 67-68

- Brass 67-68
- Aluminum 67-68



SCONCE LIGHTS

PG 71-72

- Brass
- Stainless Steel



BRICK LIGHTS

PG 57

- Aluminum 57



ROPE / STRING LIGHTS

PG 69-70

- String / Rope Lights 69-70



GLOBE / MOON LIGHTS

PG 42-44



CABINET LIGHTS

PG 73-75-81

- Aluminum 73-74
- Aluminum Profile 75



LIGHT BULBS

PG 83-85

- MR11, MR16 84
- G4, PAR38, E12, E26, BA15S 83
- SMART RGBCW LED 85



TRANSFORMERS

PG 76-82

- DIGITAL TRANSFORMERS
- DIGITAL 2 ZONE TRANSFORMERS
- MANUAL TRANSFORMERS
- DC DRIVERS



OTHER ACCESSORIES

PG 86-88

- BRACKETS
- SPIKES
- POST
- EXTENSIONS, WIRE NUTS

CREATE YOUR OWN

PATH LIGHT

BLE-SPB/BTE-SPB

01 SELECT YOUR SPOTLIGHT

Select from our timeless cast brass spotlight selection.



SPB01



SPB04



SPB09



SPB11



SPB12




SPB13



SPB14

02 SELECT YOUR PREFERRED FINISH



NATURAL BRASS



DARK BRASS

03 CHOOSE YOUR BRACKET

Single Head L bracket or Dual Head T bracket



BRL2




BRT1

BPE6

04 CHOOSE YOUR POST


Select from our highly durable posts available in 6", 12", and 24" sizes.



BPE6



BPE12




BPE24


CREATE YOUR OWN
PATH LIGHT

BLE-SPB

**SPB11 NB
ON BRL2
AND BPE24**



**SPB11 NB
ON BRL2
AND BPE12**




**SPB11 NB
ON BRL2
AND BPE6**



BTE-SPB

**SPB11 NB
ON BRT1
AND BPE24**



**SPB11 NB
ON BRT1
AND BPE12**



**SPB11 NB
ON BRT1
AND BPE6**



BRASS PATH LIGHT



PLB01



PLB01


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Dark Brass

Included: ABS Ground Spike

Size: 1.5" (L) x 3.25" (W) x 16.5" (H)



PLB02NB

PLB02

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike


Size: 3" (L) x 6.2" (W) x 14.5" (H)



PLB02DB



PLB13



PLB13

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Dark Brass

Included: ABS Ground Spike

Size: 2" (L) x 5.95" (W) x 16.8" (H)

BRASS PATH LIGHT

PLB06


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike


Size: 3.5" (L) x 5.6" (W) x 16.5" (H)



PLB06



PLB03



PLB03

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 4.8" (L) x 6.6" (W) x 16.4" (H)

PLB04


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike


Size: 4" (L) x 8.25" (W) x 16.1" (H)



PLB04



PLB26



PLB26

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 3.2" (L) x 7" (W) x 18.4" (H)

BRASS PATH LIGHT



PLB07



PLB07

Body: Heavy Duty Cast Brass

Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K, 240 LM

Finish: Natural Brass

Included: ABS Ground Spike

Size: 6.54" (L) x 1.2" (W) x 24.5" (H)

PLB10

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike


Size: 6.5" (L) x 1" (W) x 25" (H)



PLB10



PLB05



PLB05

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Feature: Adjustable

Size: 4" (L) x 8" (W) x 17.5" (H)

BRASS PATH LIGHT



PLB14



PLB14

Body: Heavy Duty Cast Brass

Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K, 240 LM

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 5.5" (L) x 1" (W) x 21.5" (H)

PLB15

Body: Heavy Duty Cast Brass


Power: 3W SMD AC/DC 12V, 240 LM

CCT: Warm White 3000K


Finish: Natural Brass

Included: ABS Ground Spike


Size: 6.35" (L) x 1" (W) x 21" (H)



PLB15



PLB16



PLB16

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 6.35" (L) x 1" (W) x 21" (H)

BRASS PATH LIGHT

PLB08


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike


Size: 3.5" (L) x 6.75" (W) x 17.5" (H)



PLB08



PLB09



PLB09

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 3" (L) x 6.25" (W) x 16" (H)

PLB17

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)


Finish: Natural Brass

Included: ABS Ground Spike


Size: 5" (L) x 5.31" (W) x 18" (H)



PLB17



PLB18



PLB18

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass


Included: ABS Ground Spike

Size: 2.6" (L) x 4.5" (W) x 18.6" (H)

BRASS PATH LIGHT



PLB11





PLB11


Body: Heavy Duty Cast Brass
Lamp Type: G4 12V (Not Included)
Finish: Natural Brass
Included: ABS Ground Spike
Size: 3.5" (L) x 6.5" (W) x 17.5" (H)

PLB12

Body: Heavy Duty Cast Brass
Lamp Type: G4 12V (Not Included)
Finish: Natural Brass
Included: ABS Ground Spike
Size: 3" (L) x 7" (W) x 18" (H)



PLB12



PLB19

PLB19

Body: Heavy Duty Cast Brass
Lamp Type: G4 12V (Not Included)
Finish: Dark Brass
Included: ABS Ground Spike
Size: 3" (L) x 7.8" (W) x 20" (H)

BRASS PATH LIGHT

PLB20

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)


Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 5.1" (L) x 1" (W) x 19.3" (H)



PLB20NB



PLB20DB



PLB21

Body: Heavy Duty Cast Brass

Power: 3W SMD AC/DC 12V

CCT: Warm White 3000K, 270 LM

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 6.5" (L) x 1" (W) x 21" (H)



PLB21NB



PLB21DB



PLB22

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)


Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 7" (L) x 6" (W) x 12" (H)



PLB22NB



PLB22DB



BRASS PATH LIGHT

PLB23


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 2" (L) x 2" (W) x 22" (H)



PLB23



PLB24



PLB24

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 3.22" (L) x 2" (W) x 20" (H)

PLB25


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)


Finish: Natural Brass

Included: ABS Ground Spike

Size: 1" (L) x 1" (W) x 15" (H)



PLB25



BRASS PATH LIGHT

PLB27


Body: Heavy Duty Cast Brass

Lamp Type: 4W AC/DC 12V

Finish: Natural Brass

Included: ABS Ground Spike


Size: 1.1" (L) x 5.5" (W) x 20.35" (H)



PLB27



PLB28



PLB28

Body: Heavy Duty Cast Brass

Lamp Type: 4W AC/DC 12V

Finish: Natural Brass

Included: ABS Ground Spike

Size: 3.76" (L) x 6" (W) x 13.9" (H)



PLB29



PLB29

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 1.38" (L) x 1.38" (W) x 17.9" (H)

STAINLESS STEEL PATH LIGHT

CDPS70

Body: Heavy Duty 304 Stainless Steel


Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K, 500 LM


Finish: Black w/ Marble

Included: ABS Ground Spike

Size: 6.6" (L) x 2.75" (W) x 22.1" (H)



CDPS70



CDPS71

CDPS71

Body: Heavy Duty 304 Stainless Steel

Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K, 500 LM

Finish: Black

Included: ABS Ground Spike

Size: 7.1" (L) x 5.6" (W) x 23.6" (H)

CDPS72

Body: Heavy Duty 304 Stainless Steel

Power: 7W SMD AC/DC 12V

CCT: Warm White 3000K / 300 LM

Finish: Stainless Steel

Included: ABS Ground Spike

Size: 5.76" (L) x 2" (W) x 31.1" (H)



CDPS72



STAINLESS STEEL PATH LIGHT

CDPS58

Body: Heavy Duty 304 Stainless Steel

Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K / 270 LM

Finish: Stainless Steel and Black

Included: ABS Ground Spike


Size: 5.6" (L) x 2" (W) x 20.9" (H)



CDPS58-SS



CDPS58-BK



CDPS59-SS



CDPS59-BK

CDPS59

Body: Heavy Duty 304 Stainless Steel

Power: 3W Philips AC/DC 12V

CCT: Warm White 3000K / 270 LM

Finish: Stainless Steel and Black

Included: ABS Ground Spike

Size: 5.6" (L) x 2" (W) x 20.9" (H)

STAINLESS STEEL PATH LIGHT

CDPSR58

Body: Heavy Duty 304 Stainless Steel

Power: 3W Philips AC/DC 12V

CCT: **RGBCW** / 270 LM


Finish: Stainless Steel and Black

Included: ABS Ground Spike

Size: 5.6" (L) x 2" (W) x 20.9" (H)

Feature: Smart **Wifi**

Remote Control (Sold Separately)



CDPSR58-SS

CDPSR58-BK



CDPSR59

Body: Heavy Duty 304 Stainless Steel

Power: 3W Philips AC/DC 12V

CCT: **RGBCW** / 270 LM

Finish: Stainless Steel and Black

Included: ABS Ground Spike

Size: 5.6" (L) x 2" (W) x 20.9" (H)

Feature: Smart **Wifi**

Remote Control (Sold Separately)



CDPSR59-SS

CDPSR59-BK

ALUMINUM PATH LIGHT

CDPA50

Body: Heavy Duty Cast Aluminum


Power: 3W LED AC/DC 12V

CCT: Warm White 3000K / 160LM

Finish: Black, White or Brown

Included: ABS Ground Spike

Size: 2.8" (L) x 7" (W) x 14" (H)



CDPA65-BK

CDPA65

Body: Heavy Duty Cast Aluminum


Power: 3W LED AC/DC 12V

CCT: Warm White 3000K / 160LM

Finish: Black or Bronze

Included: ABS Ground Spike

Size: 3.5" (L) x 7.5" (W) x 11" (H)



CDPA65-BR



DL03

Body: Heavy Duty Cast Aluminum

Lamp Type: G4 12V (Not Included)

Finish: Black or Brown

Included: ABS Ground Spike

Size: 3.4" (L) x 8.9" (W) x 16" (H)



DL03-BR

ALUMINUM PATH LIGHT

CDPA73

Body: Heavy Duty Cast Aluminum


Power: 6W LED AC/DC 12V

CCT: Warm White 3000K / 600 LM


Finish: Black

Included: ABS Ground Spike,
Adjustable Height

Size: 9.5", 17", or 25" (H) x 10.5" (W)



CDPA73



CDPA77

CDPA77

Body: Heavy Duty Cast Aluminum


Power: 3W AC/DC 12V

CCT: 5 CCT

Finish: Black

Included: ABS Ground Spike

Size: 4.05(L) x 14"(H)



CDPA78



CDPA78

Body: Heavy Duty Cast Aluminum

Power: 3W AC/DC 12V

CCT: 5 CCT


Finish: Black

Included: ABS Ground Spike


Size: ★★★★★★



ALUMINUM PATH LIGHT



CDPA54



CDPA54

Body: Heavy Duty Cast Aluminum

Power: 3W COB AC/DC 12V

CCT: Warm White 3000K / 500 LM

Finish: Black

Included: ABS Ground Spike

Size: 20" (H) x 6.5" (W) x 1.5" (L)

CDPA56

Body: Heavy Duty Cast Aluminum


Power: 8W SMD AC/DC 12V

CCT: Warm White 3000K / 600 LM

Finish: Black

Included: ABS Ground Spike


Size: 23.5" (H) x 6.5" (W) x 2" (L)



CDPA56



CDPA66



CDPA66

Body: Heavy Duty Cast Aluminum

Power: 10W SMD AC/DC 12V

CCT: Warm White 3000K / 600 LM

Finish: Black


Included: ABS Ground Spike

Size: 23.5" (H) x 7" (W) x 1.75" (L)

ALUMINUM PATH LIGHT



CDPA60



CDPA60

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V

CCT: Warm White 3000K / 830 LM

Finish: Black

Included: ABS Ground Spike

Size: 23.5" (H) x 2" (W) x 2" (L)

CDPAR60

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V / 830 LM

CCT: RGBCW

Finish: Black

Included: ABS Ground Spike

Size: 23.5" (H) x 2" (W) x 2" (L)


Feature: Smart Wifi



CDPAR60



CDPA61



CDPA61

Body: Heavy Duty Cast Aluminum

Power: 5W COB AC/DC 12V

CCT: Warm White 3000K / 500 LM

Finish: Black

Included: ABS Ground Spike

Size: 20" (H) x 1" (W) x 5.5" (L)

ALUMINUM PATH LIGHT



CDPA53



CDPA53

Body: Heavy Duty Cast Aluminum

Power: 3W COB AC/DC 12V

CCT: Warm White 3000K, 300 LM

Finish: Black

Included: ABS Ground Spike

Size: 15" (H) x 2.5" (W) x 2.5" (L)

CDPA62

Body: Heavy Duty Cast Aluminum

Power: 3W COB AC/DC 12V

CCT: Warm White 3000K / 160LM


Finish: Black

Included: ABS Ground Spike

Size: 17" (H) x 2.5" (W) x 2.5" (L)



CDPA62



CDPA63



CDPA63

Body: Heavy Duty Cast Aluminum

Power: 12W SMD AC/DC 12V

CCT: Warm White 3000K / 720 LM

Finish: Black

Included: ABS Ground Spike

Size: 23.4" (H) x 5.85" (W) x 3.9" (L)

CDPA64

Body: Heavy Duty Cast Aluminum

Power: 12W SMD AC/DC 12V

CCT: Warm White 3000K / 720 LM

Finish: Black

Included: ABS Ground Spike

Size: 23.5" (H) x 5.85" (W) x 5.13" (L)



CDPA64



ALUMINUM PATH LIGHT

CDPA67

Body: Heavy Duty Cast Aluminum

Power: 3W COB AC/DC 12V

CCT: Warm White 3000K / 300 LM

Finish: Black

Included: ABS Ground Spike

Size: 19.6" (H) x 1.55" (W) x 1.55" (L)



CDPA67



CDPA68



CDPA68

Body: Heavy Duty Cast Aluminum

Power: 6W COB AC/DC 12V

CCT: Warm White 3000K, 600 LM

Finish: Black

Included: ABS Ground Spike

Size: 20" (H) x 1.65" (W) x 3.75" (L)



CDPA69



CDPA69

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V

CCT: Warm White 3000K / 800 LM


Finish: Black

Included: ABS Ground Spike

Size: 23.5" (H) x 2.75" (W) x 5-7" (L)



CDPA70



CDPA70

Body: Heavy Duty Cast Aluminum

Power: 3W COB AC/DC 12V


CCT: Warm White 3000K, 300 LM

Finish: Black

Included: ABS Ground Spike

Size: 19.6" (H) x 1.58" (W) x 3.92" (L)

ALUMINUM PATH LIGHT



CDPA57-BK

CDPA57

Body: Heavy Duty Cast Aluminum

Power: 3W SMD AC/DC 12V

CCT: Warm White 3000K, 300 LM

Finish: Black and Brown

Included: ABS Ground Spike

Size: 20" (H) x 1" (W) x 6" (L)



CDPA57-BR

CDPA74

Body: Heavy Duty Cast Aluminum

Power: 7W LED AC/DC 12V

CCT: Warm White 3000K / 700 LM


Finish: Black

Included: ABS Ground Spike

Size: 27.5" (H) x 7" (W) x 1.62" (L)



CDPA74



CDPA75



CDPA75

Body: Heavy Duty Cast Aluminum

Power: 5W SMD AC/DC 12V

3CCT: 3000K, 4000K, or 5000K / 255 LM

Finish: Black

Included: ABS Ground Spike

Size: 19.8" (H) x 6.4" (W) x 1.19" (L)

ALUMINUM PATH LIGHT

CDPA55

Body: Heavy Duty Cast Aluminum


Power: 3W SMD AC/DC 12V

CCT: Warm White 3000K, 160 LM

Finish: Black

Included: Aluminum Ground Spike


Size: 10" (H) x 3" (W)



CDPA55



CDPA51



CDPA51

Body: Heavy Duty Cast Aluminum


Power: 3W SMD AC/DC 12V

CCT: Warm White 3000K, 270 LM

Finish: Black

Included: ABS Ground Spike

Size: 11" (H) x 2" (W)



CDPA52



CDPA52

Body: Heavy Duty Cast Aluminum

Power: 3W SMD AC/DC 12V

CCT: Warm White 3000K, 160 LM


Finish: Black

Included: ABS Ground Spike

Size: 7" (L) x 6" (W) x 6.5" (H)



CDPA72



CDPA72

Body: Heavy Duty Cast Aluminum

Lamp Type: G4 12V (Not Included)

Finish: Black

Included: ABS Ground Spike

Size: 7" (L) x 6" (W) x 6.5" (H)

ALUMINUM MUSHROOM LIGHT

CDPA71

Body: Heavy Duty Cast Aluminum

Power: 7W LED AC/DC 12V

CCT: Warm White 3000K / 700 LM

Finish: Black and White

Included: ABS Ground Spike

Size: 27.5" (H) x 7" (W) x 1.62" (L)



CDPA76

Body: Heavy Duty Cast Aluminum


Power: 1.7W LED AC/DC 12V

CCT: Warm White 2700K / 160 LM

Finish: Black

Included: ABS Ground Spike

Size: 60.4(L) x 5.1(W)



BRASS SPOT LIGHT

SPB11

Body: Heavy Duty Cast Brass

Lamp Type: MR11 12V (Not Included)


Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 3.3-4.56" (H) x 1.68" (W) x 1.6" (L)



SPB11NB



SPB11DB

SPB02

Body: Heavy Duty Cast Brass

Lamp Type: MR11 12V (Not Included)


Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 3.1" (H) x 1.5" (W) x 1.4" (L)



SPB02NB



SPB02DB

SPB14

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 4.34" (H) x 2.12" (W) x 1.3" (L)




SPB14NB



SPB14DB

BRASS SPOT LIGHT



SPB01

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 4.5" (H) x 2" (W) x 2" (L)



SPB05

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 3.25-5.25" (H) x 2.5" (W)



SPB09


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 4" (H) x 2" (W) x 2.5" (L)



SPB03

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 4" (H) x 2" (W) x 2.5" (L)

BRASS SPOT LIGHT

SPB04

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass, Dark Brass, or Black

Included: ABS Ground Spike


Size: 5.1-6.7" (H) x 2.33" (W) x 2.65" (L)



SPB04-NB



SPB04-DB



SPB12

Body: Heavy Duty Cast Brass

Power: 3W-12W Adjustable LED 12V

CCT: Warm White 3000K

Beam Angle: Adjustable 24/38 Degree

Lumens: Adjustable 240 - 960 Lumens

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 5.1-6.7" (H) x 2.33" (W) x 2.65" (L)



SPB12-DB



SPB12-NB

BRASS SPOT LIGHT

SPB06


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike



Size: 5.88 (H) x 2.4" (W) x 1.8" (L)



SPB06-NB



SPB06-DB



SPB13-NB

SPB13

Body: Heavy Duty Cast Brass

Power: 3W-12W Adjustable LED 12V

CCT: Warm White 3000K

Beam Angle: Adjustable 24/38 Degree

Lumens: Adjustable 240 - 960 Lumens

Finish: Natural Brass and Dark Brasse

Included: ABS Ground Spike

Size: 5.88 (H) x 2.4" (W) x 1.8" (L)



SPB13-DB

BRASS SPOT LIGHT

SPB08

Body: Heavy Duty Cast Brass


Power: 5W COB AC/DC 12V

CCT: 3000K Warm White / 430 LM

Finish: Natural and Dark Brass

Included: ABS Ground Spike

Size: 3-4.25" (H) x 1.375" (W) x 1" (L)



SPB08



SPB10

Body: Heavy Duty Cast Brass


Power: 8W COB AC/DC 12V

CCT: 3000K Warm White / 720 LM

Finish: Natural Brass and Dark Brass

Included: ABS Ground Spike

Size: 3.3-4.56" (H) x 1.68" (W) x 1.6" (L)



SPB10



STAINLESS STEEL SPOT LIGHT



SPS02-SS

SPS02

Body: Heavy Duty 304 Stainless Steel


Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel or Black

Included: ABS Ground Spike



6" Extension Included

Size: 3.25 (H) x 2.25" (W) x 9" (L)



SPS02-BK

SPS02



SPS03



SPS03

Body: Heavy Duty 304 Stainless Steel

Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel or Black

Included: ABS Ground Spike

6" Extension Included

Size: 4 (H) x 2.25" (W) x 9" (L)



SPS03-BK

33 SPS03-SS

ALUMINUM SPOT LIGHT

DL01

Body: Heavy Duty Cast Aluminum
Lamp Type: MR16 12V (Not Included)


Finish: Black or Brown

Included: ABS Ground Spike

Size: 2.5 (H) x 2.5" (W) x 4.8" (L)



DL01-BK



DL01-BR

DL02

Body: Heavy Duty Cast Aluminum
Lamp Type: MR16 12V (Not Included)


Finish: Black or Brown

Included: ABS Ground Spike

Size: 2.2 (H) x 3" (W) x 6.62" (L)



DL02-BK



DL02-BR


DL05

Body: Heavy Duty Cast Aluminum
Lamp Type: MR16 12V (Not Included)

Finish: Black, White or Brown

Included: ABS Ground Spike

Size: 2.5 (H) x 2.5" (W) x 5.5" (L)



ALUMINUM SPOT LIGHT

CD43

Body: Heavy Duty Cast Aluminum

Power: 5W COB AC/DC 12V

CCT: 3000K Warm White / 350 LM

Beam Angle: 24°


Finish: Black or Brown

Included: ABS Ground Spike

Size: 2.8 (H) x 1.69" (W) x 2.9" (L)



CD43-BK



CD43-BR

CD75

Body: Heavy Duty Cast Aluminum

Power: 7W COB AC/DC 12V

CCT: 3K, 4K, or 5K / 500 LM

Beam Angle: 24°


Finish: Black or Brown

Included: ABS Ground Spike

Size: 2.9 (H) x 3" (W) x 3.8" (L)




CD75-BK



CD75-BR

ALUMINUM SPOT LIGHT



CD45

CD45

Body: Heavy Duty Cast Aluminum

Power: 5W COB AC/DC 12V

CCT: 3000K Warm White, 280 LM

Beam Angle: 45°

Finish: Bronze

Included: Built-In Ground Spike

Size: 4.4 (H) x 2.75" (W) x 4.7" (L)

CD85

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V


3CCT: 3000K, 4000K, 5000K / 630 LM

Beam Angle: 45°

Finish: Black

Included: ABS Ground Spike

Size: 2.5 (H) x 3" (W) x 5.6" (L)



CD85



CDR85

Body: Heavy Duty Cast Aluminum

Power: 9W COB AC/DC 12V


CCT: RGB / 570 LM

Beam Angle: 45°

Finish: Black

Included: ABS Ground Spike

Size: 2.5 (H) x 3" (W) x 5.6" (L)




CDR85



ALUMINUM SPOT LIGHT



CDRA95



CDRA95

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V

CCT: RGBW

Lumens: 600 LM

Beam Angle: 65°

Finish: Bronze

Included: ABS Ground Spike
Smart Wifi Enabled

Size: 8.8 (H) x 3.6" (W) x 5" (L)

CCDA95

Body: Heavy Duty Cast Aluminum

Power: 6W COB AC/DC 12V

3CCT: 3000K, 4000K, or 5000K

Lumens: 500 LM

Beam Angle: 65°

Finish: Bronze

Included: ABS Ground Spike


Size: 8.8 (H) x 3.6" (W) x 5" (L)



CCDA95



DL05R



DL05R

Body: Heavy Duty Cast Aluminum

Power: 10W COB AC/DC 12V

CCT: RGBW

Lumens: 600 LM

Beam Angle: 65°

Finish: Black


Included: ABS Ground Spike
Smart Wifi Enabled

Size: 2.5 (H) x 2.5" (W) x 5.5" (L)

PALM TREE LIGHT



CD12



CD12

Body: Heavy Duty Cast Aluminum

Power: 12W COB LED AC 12V

CCT: 3000K Warm White / 780 LM

Beam Distance: +/- 30 ft

Beam Angle: 24°


Finish: Sandy Black

Included: ABS Ground Spike

Size: 5.3" (H) x 3.5" (W) x 4.5" (L)



CD20



CD20

Body: Heavy Duty Cast Aluminum

Power: 20W COB LED AC 12V

CCT: 3000K or 5000K / 1300 LM

Beam Distance: +/- 60 ft

Beam Angle: 24°


Finish: Sandy Black

Included: ABS Ground Spike

Size: 6.8" (H) x 4.5" (W) x 6" (L)



CD30



CD30

Body: Heavy Duty Cast Aluminum

Power: 30W COB LED AC 12V

CCT: 3000K Warm White / 1950 LM

Beam Distance: +/- 90 ft

Beam Angle: 24°

Finish: Sandy Black

Included: ABS Ground Spike

Size: 8.85" (H) x 6" (W) x 6.3" (L)



RGBW TREE LIGHT



CDRA12

Body: Heavy Duty Cast Aluminum

Power: 12W LED AC 12V

CCT: RGBW / 1330 LM

Beam Angle: 35°

Finish: Bronze

Included: ABS Ground Spike

Size: 4.5" (H) x 3.24" (W) x 4.8" (L)



CDRA30

Body: Heavy Duty Cast Aluminum

Power: 30W LED AC 12V

CCT: RGBW / 3030 LM


Beam Angle: 35°

Finish: Bronze

Included: ABS Ground Spike

Size: 5" (H) x 4.4" (W) x 8.4" (L)

Controlled by Remote or Smart Phone App via Bluetooth



ALUMINUM FLOOD LIGHTS



FLACC20

FLACCT20

Body: Heavy Duty Cast Aluminum

Wattage: 5W-20W Adjustable

Power: LED AC/DC 12V

3CCT: 3K, 4K, 5K / 1700 LM

Beam Angle: 130°

Finish: Black

Included: ABS Ground Spike

Size: 2.5" (H) x 5.2" (W) x 3.6" (L)



FLACC40

FLACCT40

Body: Heavy Duty Cast Aluminum

Wattage: 25W-40W Adjustable

Power: LED AC/DC 12V

3CCT: 3K, 4K, 5K / 3300 LM

Beam Angle: 130°

Finish: Black

Included: ABS Ground Spike

Size: 2.5" (H) x 7.6" (W) x 4.8" (L)



3000K



4000K



5000K

BRASS FLOOD LIGHTS

FPB01


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike


Size: 1.5" (H) x 2" (W) x 4" (L)



FPB01



FPBCC04



FPBCC04

Body: Heavy Duty Cast Brass

Power: 2W - 7W Adjustable LED 12V

3CCT: 3000K, 4000K, 5000K

Lumens: Adjustable 180 - 630 Lumens

Finish: Natural Brass or Dark Brass

Included: ABS Ground Spike

Size: 1.5" (H) x 2" (W) x 4" (L)

FPB03


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 5.5" (H) x 2.25" (W) x 4.25" (L)



FPB03



FLA RGBCW

FLA RGBCW 20

Body: Heavy Duty Cast Aluminum

Power: 20W AC/DC 12V

CCT: RGBCW


Finish: Bronze

Included: ABS Ground Spike


Size: 3.6" (L) x 2.1" (W) x 5" (H)

Feature: Wifi / BT

BRASS FLOOD LIGHTS



SPB07



SPB07

Body: Heavy Duty Cast Brass

Lamp Type: PAR36 12V (Not Included)

Finish: Natural Brass

Included: ABS Ground Spike

Size: 5" (H) x 4" (W) x 3" (L)

FPB05

Body: Heavy Duty Cast Brass

Lamp Type: MR16/G4 12V (Not Included)


Finish: Natural or Dark Brass

Included: ABS Ground Spike

Size: 3.71" (H) x 5.9" (W) x 5.28" (L)



FPB05



FPBCC05



FPBCC05

Body: Heavy Duty Cast Brass

Power: 3W - 10W Adjustable LED 12V

3CCT: 3000K, 4000K, 5000K


Lumens: Adjustable 180 - 900 Lumens

Finish: Natural or Dark Brass

Included: ABS Ground Spike

Size: 3.71" (H) x 5.9" (W) x 5.28" (L)

HANGING SPOT LIGHT



CD90

CD90

Body: Heavy Duty Cast Aluminum

Power: 6W Philips AC/DC 12V

CCT: 3000K Warm White / 600 LM

Finish: Black

Included: 40" Metal Chain and Mounting Bracket


Size: 6" (H) x 2.25" (W)

HLS70

Body: Heavy Duty Stainless Steel
Lamp Type: MR16 12V (Not Included)

Finish: Black / Marble

Included: 12" Chain, 40" Metal Wire
Size:



HLS70



GL Series

GL Series

Body: Heavy Duty Fiberglass/Resin

Lamp Type: E26 12V (Not Included)

Finish: Moon Style

Waterproof: IP65 Outdoor Rated

Mount Styles: Ground Stake, Hanging Chain, or Post Bracket (Sold Separately)

Sizes: 20 cm, 30 cm, or 40 cm

HANGING SPOT LIGHT

HLB01


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)


Finish: Natural Brass

Included: 12" Chain, 40" Metal Wire

Size: 7.25" (H) x 2.5" (W)



HLB01



HLB09

HLB09

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass

Included: 12" Chain, 40" Metal Wire

Size: 7.37" (H) x 2.13" (W)

HLB02


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass

Included: 12" Chain, 40" Metal Wire

Size:



HLB02



GLOBE LIGHTS

GL Series

Body: Heavy Duty Fiberglass/Resin

Lamp Type: E26 12V (Not Included)

Finish: Moon Style

Waterproof: IP65 Outdoor Rated

Mount Styles: Ground Stake, Hanging Chain, or Post Bracket (Sold Separately)

Sizes: 20 cm, 30 cm, or 40 cm





GL20




GL30



GL40



POOL/SPA LIGHTS



PL54

Body: 316 Stainless Steel

Power: 54W LED

CCT: **RGBW** / 5 Wire DC 12V/24V

CCT: **RGB** / 2 Wire AC 12V/24V

Beam Angle: 120°

Lumens: 5,400

Waterproof: IP68

Finish: Stainless Steel

Lead Wire: 5 ft, 50 ft, 100 ft, 150 ft

Size: 10.1" (L) x 1" (W) x .1 (D)

Feature: Smart **Wifi** (RGBW)

Remote Control (Sold Separately)



PL15

Body: 316 Stainless Steel

Power: 15W LED

CCT: **RGBW** / 5 Wire DC 12V/24V

CCT: **RGB** / 2 Wire AC 12V/24V

Beam Angle: 120°

Lumens: 1,500

Waterproof: IP68

Finish: Stainless Steel

Lead Wire: 5 ft, 50 ft, 100 ft, 150 ft


Size: 6.1" (L) x 1" (W) x .1 (D)

Feature: Smart **Wifi** (RGBW)

Remote Control (Sold Separately)



UNDERWATER POND LIGHTS



ULB01

ULB01

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass

Included: 24 Ft Wire

Size: 5.25" (H) x 3.25" (W) x 4.4" (L)

ULB02


Body: Heavy Duty Cast Brass

Lamp Type: PAR36 12V (Not Included)

Finish: Natural Brass

Included: 20 Ft Wire

Size: 6" (H) x 3.875" (W) x 3.375" (L)



ULB02

ULB03

Body: Heavy Duty 304 Stainless Steel

Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel

Included: 16 Ft Wire

Size: 3.2" (H) x 3.2" (W) x 3.9" (L)



ULB03

BRASS IN-GROUND LIGHTS

UNB01


Body: Heavy Duty Cast Brass

Lamp Type: PAR36 12V (Not Included)

Finish: Natural Brass

Included: Adjustable Inner Bracket

Size: 4.5" (H) x 6.75" (W)



UNB01

UNB08


Body: Heavy Duty Cast Brass

Lamp Type: PAR36 12V (Not Included)

Finish: Natural Brass


Included: Adjustable Inner Bracket

Size: 4.5" (H) x 6.75" (W)



UNB08

BRASS IN-GROUND LIGHTS



UNB04

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)


Finish: Natural Brass or Dark Brass

Included: Adjustable Inner Bracket

Size: 5" (H) x 3.5" (W) x 5" (L)

UNB04-NB

UNB04-DB



UNB06

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass or Dark Brass

Included: Adjustable Inner Bracket

Size: 5" (H) x 3.5" (W) x 5" (L)

UNB06-NB

UNB06-DB

BRASS IN-GROUND LIGHTS



UNB02

UNB02


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass or Black

Included: Adjustable Inner Bracket

Size: 6" (H) x 5" (W) x 3.5" (L)



UNB03

UNB03

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass or Black

Included: Adjustable Inner Bracket

Size: 6.125" (H) x 5" (W) x 3.5" (L)



UNB07

UNB07

Body: Heavy Duty Cast Brass


Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass or Black

Included: Adjustable Inner Bracket

Size: 4.7" (H) x 3.5" (W) x 5" (L)

BRASS IN-GROUND LIGHTS



UNB12

UNB12

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass

Included: Fixed Inner Bracket

Size: 4.65" (H) x 4" (W) x 3.35" (Cutout)

UNB09


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)



Finish: Natural Brass

Included: Adjustable Inner Bracket

Size: 5.3" (H) x 3.5" (W) x 5" (L)



UNB09



UNB10

UNB10

Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)

Finish: Natural Brass

Included: Adjustable Inner Bracket

Size: 5.3" (H) x 3.5" (W) x 5" (L)

UNB11


Body: Heavy Duty Cast Brass

Lamp Type: MR16 12V (Not Included)


Finish: Natural Brass

Included: Adjustable Inner Bracket


Size: 5.3" (H) x 3.5" (W) x 5" (L)



UNB11



STAINLESS STEEL IN-GROUND LIGHTS



UNS01

Body: Heavy Duty 304 Stainless Steel

Lamp Type: MR16 12V (Not Included)


UNS01-SS

Finish: Stainless Steel or Black

Included: 3.5"(W) x 4.5" (H) PVC Pipe

Size: 4.3" (H) x 4.35" (L) x 3.3" (Cutout)

UNS01-BK



UNS02

Body: Heavy Duty 304 Stainless Steel

Lamp Type: MR16 12V (Not Included)

UNS02-SS


Finish: Stainless Steel or Black

Included: 3.5"(W) x 4.5" (H) PVC Pipe

Size: 4.3" (H) x 4.35" (L) x 3.3" (Cutout)

UNS02-BK

STAINLESS STEEL IN-GROUND LIGHTS



UNS03

UNS03

Body: Heavy Duty 304 Stainless Steel


Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel or Black

Included: Fixed Inner Bracket

Feature: Mono-Directional

Size: 6" (H) x 3.5" (W)



UNS04

UNS04

Body: Heavy Duty 304 Stainless Steel


Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel or Black

Included: Fixed Inner Bracket

Feature: Bi-Directional

Size: 6" (H) x 3.5" (W)



UNS05

UNS05

Body: Heavy Duty 304 Stainless Steel

Lamp Type: MR16 12V (Not Included)

Finish: Stainless Steel or Black

Included: Fixed Inner Bracket

Feature: Tri-Directional

Size: 6" (H) x 3.5" (W)

ALUMINUM IN-GROUND LIGHTS

UNA06

Body: Heavy Duty Cast Aluminum

Lamp Type: MR16 12V (Not Included)


Finish: Black

Included: Fixed Inner Bracket

Size: 4.25" (H) x 3.85" (L) x 2.7" (Cutout)



UNA06



UNA07

UNA07


Body: Heavy Duty Cast Aluminum

Lamp Type: MR16 12V (Not Included)


Finish: Black

Included: Fixed Inner Bracket

Size: 3.75" (H) x 3.85" (L) x 2.7" (Cutout)



FIBERGLASS IN-GROUND LIGHTS



UNF07

UNF07BK



Body: Heavy Duty Fiberglass
Lamp Type: MR16 12V (Not Included)

UNF07BR

Finish: Black or Brown

Included: Fixed Inner Bracket

Size: 3.75" (H) x 3.84" (L) x 2.75" (Cutout)



UNF08

UNF08BK

Body: Heavy Duty Fiberglass
Lamp Type: PAR36 12V (Not Included)


UNF08BR

Finish: Black or Brown

Included: Fixed Inner Bracket

Size: 4.43" (H) x 6.8" (L) x 5.5" (Cutout)

WELL LIGHTS



DM52

Body: 304 Stainless Steel

Power: 3W COB AC/DC 12V

CCT: 3000K or 5000K / 170 LM

Beam Angle: 40°

Finish: Stainless Steel or Black

Included: 1.6 (W) x 6" (H) PVC Pipe

Size: 2" (W) x 2.6 (H) x 1.5" (Cutout)



DM52-SS




DM52-BK



DM52-SS

DM52-BK



DM52

Body: 304 Stainless Steel

Power: 3W COB AC/DC 12V

CCT: 3000K or 5000K / 170 LM

Beam Angle: 40°


Finish: Stainless Steel or Black

Included: 1.6 (W) x 6" (H) PVC Pipe

Size: 2" (W) x 2.6 (H) x 1.5" (Cutout)



WELL LIGHTS



DM53

Body: 304 Stainless Steel

Power: 3W COB AC/DC 12V

CCT: 3000K or 5000K / 170 LM

Beam Angle: 40°

Finish: Stainless Steel or Black

Included: 1.6 (W) x 6" (H) PVC Pipe

Size: 2" (W) x 2.6 (H) x 1.5" (Cutout)



DMB52

Body: Heavy Duty Cast Brass

Power: 1.5W COB AC/DC 12V


CCT: 3000K Warm White / 80 LM

Finish: Natural Brass

Beam Angle: 40°


Included: 1.6 (W) x 3" (H) PVC Pipe

Size: 2.3" (W) x 2.35 (H) x 1.5" (Cutout)



DMB52

BRICK LIGHTS



CRG30

Body: Heavy Duty Cast Aluminum


Power: 1.3W LED AC/DC 12V

CCT: RGB or WW, 36 LM

Finish: Tempered, Frosted Glass

Feature: Drive-over Rated

Size: 1.875" (H) x 4" (W) x 4" (L)



CRG31

Body: Heavy Duty Cast Aluminum

Power: 2.6W LED AC/DC 12V

CCT: RGB or WW, 72 LM

Finish: Tempered, Frosted Glass



Feature: Drive-over Rated

Size: 2.125" (H) x 4" (W) x 8" (L)



BRICK LIGHTS

CRG32



Body: Heavy Duty Cast Aluminum

Power: 2W LED AC/DC 12V

CCT: 3000K Warm White / 180 LM

Finish: Tempered, Frosted Glass

Feature: Drive-over Rated

Size: 1" (W) x 6" (L)

CRG32

CRG33

Body: Heavy Duty Cast Aluminum


Power: 3.5W LED AC/DC 12V

CCT: 3000K Warm White / 300 LM

Finish: Tempered, Frosted Glass

Feature: Drive-over Rated

Size: 1" (W) x 12" (L)



CRG34

Body: Heavy Duty Cast Aluminum

Power: 3.5W LED AC/DC 12V



CCT: 3000K Warm White / 200 LM

Finish: Tempered, Frosted Glass

Size: 1.3" (W) x 3.9" (L) x 7.8" (H)

BRASS STEP LIGHTS

STB10



STB10

Body: Heavy Duty Cast Brass

Power: 4W LED AC/DC 12V

CCT: 3000K Warm White / 360 LM

Finish: Natural Brass

Feature: Recessed Mount

Size: .375" (D) x 3" (W) x 9.5" (L)

Box Size: 3.5" (D) x 2.375" (W) x 8.25" (L)

STB11

Body: Heavy Duty Cast Brass

Power: 1.5W LED AC/DC 12V


CCT: 3000K Warm White / 180 LM

Finish: Natural Brass

Feature: Recessed Mount

Size: .375" (D) x 3.125" (W) x 4.75" (L)

Box Size: 2.375" (D) x 2.375" (W) x 4.5" (L)




STB11



STB15



STB15



Body: Heavy Duty Cast Brass
Lamp Type: G4 12V (Not Included)

Finish: Natural Brass or Dark Brass

Feature: Recessed Mount

Size: 3" (W) x 4.5" (L) x .4" (D)

Box Size: 2.3" (W) x 3.25" (L) x 3.2" (D)

STB16

Body: Heavy Duty Cast Brass

Power: 1.5W LED AC/DC 12V


CCT: 3500K Warm White, 180 LM

Finish: Natural Brass or Dark Brass


Feature: Surface Mount

Included: Interchangeable LED


Size: 7.375" (L) x 1.75" (W)



STB16



BRASS STEP LIGHTS



STB02

STB02-NB

Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Natural Brass or Dark Brass

Size: 3" (W) x 4.5" (L) x .4" (D)

Box Size: 2.3" (W) x 3.25" (L) x 3.2" (D)

STB02-DB



STB03-NB

STB03


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)


Finish: Natural Brass or Dark Brass

Size: 3" (W) x 9" (L) x .4" (D)


Box Size: 2.3" (W) x 7.75" (L) x 3.2" (D)



STB03-DB



BRASS STEP LIGHTS



STB07-NB

STB07

Body: Heavy Duty Cast Brass

Power: 2W LED AC/DC 12V

CCT: 3000K Warm White / 180 LM

Finish: Natural Brass or Dark Brass

Feature: Surface Mount

Size: .4" (H) x 3" (W) x 4.5" (L)

STB07-DB



STB08-NB

STB08

Body: Heavy Duty Cast Brass

Power: 4W LED AC/DC 12V

CCT: 3000K Warm White / 360 LM

Finish: Natural Brass or Dark Brass

Feature: Surface Mount

Size: .4" (H) x 3" (W) x 9" (L)



STB08-DB

BRASS STEP LIGHTS

STBCC17

Body: Heavy Duty Cast Brass

Power: 1-4W Adjustable LED AC/DC 12V

3CCT: 3000K, 4000K, 5000K

Lumens: Adjustable 180 - 360 Lumens


Finish: Natural Brass or Dark Brass

Feature: Surface Mount

Size: 9" (L) x 3" (W) x .4" (H)



STBCC17-NB



STBCC17-DB

STBCC18

Body: Heavy Duty Cast Brass

Power: 3W SMD LED AC/DC 12V

3CCT: 3000K, 4000K, 5000K

Lumens: 270 Lumens



Finish: Natural Brass or Dark Brass

Feature: Surface Mount

Size: 10.6" (L) x 3.3" (W) x .6" (H)



STBCC18-NB



STBCC18-DB

STAINLESS STEEL STEP LIGHTS

STS02

Body: Heavy Duty 304 Stainless Steel


Power: 3W COB AC/DC 12V

CCT: 3000K Warm White / 120 LM

Finish: Stainless Steel

Size: 4.3" (L) x 1.75" (W) x .05" (D)

Housing Size: 4" (L) x 1.55" (W) x 2" (D)



DECK / STEP COMBO LIGHT

STB19

Body: Heavy Duty Cast Brass


Power: 3W COB LED AC/DC 12V

CCT: 3000K Warm White / 270 LM

Finish: Natural Brass, Black or White

Feature: Surface Mount

Size: 1.98" (L) x 1.5" (W) x 1" (H)



STB19-NB



STB19-BK



STB19-WH



STB22

Body: Heavy Duty Cast Aluminum

Power: 3W LED AC/DC 12V


CCT: 3000K / 220 LM

Finish: Bronze

HALF MOON DECK LIGHTS



STA09



STA09

Body: Heavy Duty Cast Aluminum

STA09-G4: G4 12V (Not Included)

STA09-LED: 3W 3000K AC/DC 12V

STA09-LED Lumens: 270 LM

Finish: Black

Feature: Surface Mount

Size: 4" (H) x 2" (W)

STB09


Body: Heavy Duty Cast Brass

Lamp Type: G4 12V (Not Included)

Finish: Dark Brass or Natural Brass

Feature: Surface Mount


Size: 3.25" (H) x 1.75" (W)



STB09



STS09



STS09

Body: Heavy Duty 304 Stainless Steel

Lamp Type: G4 12V (Not Included)

Finish: Stainless Steel

Feature: Surface Mount

Size: 4" (H) x 2" (W)

STA05

Body: Heavy Duty Cast Aluminum



Power: 3W LED AC/DC 12V

CCT: 3000K Warm White

Finish: Black

Included: ABS Ground Spike

Size: 4.75" (L) x 1.75" (W)



STA05

ALUMINUM STEP LIGHT

STA04

Body: Heavy Duty Cast Aluminum


Power: LED AC/DC 12V

3CCT: 3000K (3W), 4000K (6W),
5000K (3W) / 480 LM

Finish: Black, White or Brown

Feature: Surface Mount

Size: 3" (H) x 9" (L) x 1" (W)



STA03

Body: Heavy Duty Cast Aluminum


Power: LED AC/DC 12V

3CCT: 3000K (2W), 4000K (4W),
5000K (2W) / 240 LM

Finish: Black, White or Brown

Feature: Surface Mount


Size: 3" (H) x 4.5" (L) x 1" (W)




STA04-BK




STA03-BK



STA04-BR



STA03-BR



STA04-WH



STA03-WH



ALUMINUM STEP LIGHT

STA07




STA07-BZ



3000 K / 4000 K / 5000 K

Body: Heavy Duty Cast Aluminum
Power: 3.5W LED AC/DC 12V / 315 LM
CCT: 3CCT 3000K, 4000K, 5000K
Finish: Black, Bronze, Silver or White
Feature: Fits on Standard Bell Box
Size: 2.875 (H) x 4.75" (W) x 1.5" (D)



STA07-WH

STA08




STA08-BZ



3000 K / 4000 K / 5000 K

Body: Heavy Duty Cast Aluminum
Power: 3.5W LED AC/DC 12V / 315 LM
CCT: 3CCT 3000K, 4000K, 5000K
Finish: Black, Bronze, Silver or White
Feature: Fits on Standard Bell Box
Size: 2.875 (H) x 4.75" (W) x 1.675" (D)



STA08-WH

STA10




STA10-BZ


Body: Heavy Duty Cast Aluminum
Power: 3.5W LED AC/DC 12V / 315 LM
CCT: 3CCT 3000K, 4000K, 5000K
Finish: Black, Bronze, Silver or White
Feature: Fits on Standard Bell Box
Size: 2.875 (H) x 4.75" (W) x 1.5" (D)



STA10-WH



3000 K / 4000 K / 5000 K



3CCT ALUMINUM STEP LIGHT



STA06-BZ



STA06

Body: Heavy Duty Cast Aluminum
Power: 3.5W LED AC/DC 12V / 315 LM

CCT: 3000K Warm White

Finish: Black, Bronze, Silver or White

Feature: Fits on Standard Bell Box

Size: 4.75 (H) x 2.875" (W) x 1.5" (D)



STA06-WH



STA11-BZ



STA11

Body: Heavy Duty Cast Aluminum
Power: 3.5W LED AC/DC 12V / 315 LM

CCT: 3000K Warm White

Finish: Black, Bronze, Silver or White

Feature: Fits on Standard Bell Box

Size: 2.875 (H) x 4.75" (W) x 1.75" (D)



STA11-WH

10%-100% DIMMABLE



**High Quality
Energy Saving**



Triac


Lutron: TGCL-153P, DVCL-153P, CTCL-153P,
SCL-153P, DV-600P, TG600P, MACL-153M,
PD-6WCL, LGCL-153P, S-600PR-WH

Leviton: RNLO6, DSLO6, 6672



HARDSCAPE EDGE LIGHTS

STBR01



STBR01

Body: Heavy Duty Cast Aluminum

Power: 1W LED AC/DC 12V



CCT: RGBW / 50 LM

Finish: Bronze

Feature: Adjustable Bracket

Size: 4" (L) x 2.5" (W)

STBR05



STBR05

Body: Heavy Duty Cast Aluminum

Power: 3W LED AC/DC 12V



CCT: RGBW / 100 LM

Finish: Bronze

Feature: Adjustable Bracket

Size: 7" (L) x 3" (W)

STBR06



STBR06

Body: Heavy Duty Cast Aluminum

Power: 5W LED AC/DC 12V

CCT: RGBW / 220 LM

Finish: Bronze

Feature: Adjustable Bracket

Size: 12" (L) x 3" (W)

HARDSCAPE EDGE LIGHTS

STB12

Body: Heavy Duty Cast Brass

Power: 3W LED AC/DC 12V

CCT: 3000K or 5000K / 270 LM

Finish: Natural Brass

Feature: Interchangeable Brackets

Size: 7" (L) x 3" (W)



STB12

STB20

Body: Heavy Duty Cast Brass


Power: 4W LED AC/DC 12V

CCT: 3000K or 5000K / 270 LM

Finish: Natural Brass

Feature: Interchangeable Brackets

Size: 12" (L) x 3" (W)



STB14

Body: Heavy Duty Cast Aluminum


Power: 3W LED AC/DC 12V

CCT: 3000K or 5000K / 270 LM

Finish: Bronze

Feature: Interchangeable Brackets

Size: 7" (L) x 3" (W)



STB14

STB21

Body: Heavy Duty Cast Aluminum

Power: 4W LED AC/DC 12V

CCT: 3000K or 5000K / 270 LM

Finish: Bronze

Feature: Interchangeable Brackets

Size: 12" (L) x 3" (W)



STB21

STB23

Body: Heavy Duty Cast Aluminum

Power: 3W LED AC/DC 12V

CCT: 5CCT / 220 LM

Finish: Bronze



STB24

Body: Heavy Duty Cast Aluminum

Power: 4.5W SMD AC/DC 12V

CCT: 5CCT

Finish: Bronze

Size: 6.8" (L) x 2.9" (W) x 1" (H)

STB25

Body: Heavy Duty Cast Aluminum

Power: 7W SMD AC/DC 12V

CCT: 5CCT

Finish: Bronze

Size: 11.8" (L) x 2.9" (W) x 1" (H)



12V ROPE LIGHTS



RL100/RL50

Power: 1.1W Per Feet

Voltage: 12V DC LED; IP65

CCT: Red, Yellow, Blue, Green, Pink,
Purple, Warm White 3000K,
Cool White 5000K, RGB

Accessory: DC to AC Adapter (Up to 50W)

Size: 13 mm (D), 165 ft or 55 ft / Roll



12V BISTRO STRING LIGHTS



SL101

Power: 2W LED Per Bulb (40W / Set)

Voltage: 12V AC/DC

CCT: 3000K Warm White

Finish: Black or White

Bulbs: 20 Bulbs / Set; IP65

Lumens: 90 LM Per Bulb (1800 LM / Set)

String Size: 48 ft (15 meters)



SL101-LB2W

Body: Shatterproof Plastic

Power: 2W AC/DC 12V LED

CCT: 3000K or 5000K

Lumens: 90 LM



SLGC55/110/165

Galvanized Wire Kit

55 ft, 110 ft, or 165 ft

Snap Hooks, Turnbuckles,

Eye Straps, Rope Clamps,

Screws, Wall plug, Wrench

SCONCE LIGHTS



SCB05


Body: Heavy Duty Cast Brass

Lamp Type: (2) MR16 12V (Not Included)

Finish: Natural Brass

Included: Back Plate

Size: 5.75" (H) x 2.5" (W) x 3.25" (L)



SCB05



SCS06

Body: Heavy Duty 304 Stainless Steel

Lamp Type: (2) MR16 12V (Not Included)


Finish: Stainless Steel or Black

Included: Back Plate

Size: 6.5" (H) x 2.5" (W) x 3.5" (L)



SCS06-SS



SCS06-BK

SCONCE LIGHTS



SCA01-14

Body: Heavy Duty Cast Aluminum

Power: 22W SMD AC/DC 12V - 120V

CCT: RGBCW / 1900 LM

Finish: Black

Size: 14" (L) x 6.2" (W) x 4.9" (H)

Feature: Wifi / BT and Remote Control

SCA02-24

Body: Heavy Duty Cast Aluminum



Power: 24W SMD AC/DC 12V - 120V

CCT: RGBCW / 700 LM

Finish: Black

Size: 24" (L) x 4.9" (W) x 3.5" (H)

Feature: Wifi / BT and Remote Control



SCA03

Body: Heavy Duty Cast Aluminum

Power: 12W AC/DC 12V - 120V

CCT: RGBCW / 600 LM

Finish: Black

Size: 4.9" (L) x 3.3" (W) x 7.9" (H)

Feature: Wifi / BT and Remote Control

SCA04

Body: Heavy Duty Cast Aluminum

Power: 22W SMD AC/DC 12V - 120V

CCT: RGBCW / 800 LM



Finish: Black

Size: 5" (L) x 3.2" (W) x 14" (H)

Feature: Wifi / BT and Remote Control



IP20 CABINET PUCK LIGHTS



CB05

CB05

Body: Heavy Duty Cast Aluminum

Power: 1.5W LED COB DC 12V

CCT: 3000K or 5000K

Beam Angle: 24.2 Degrees; 115 Lumens

Finish: Black - Silver - White

Size: 1.75" Cutout, 2" Diameter, .75" Depth

CB06

Body: Heavy Duty Cast Aluminum


Power: 1.5W LED COB DC 12V

CCT: 3000K or 5000K


Beam Angle: 24.2 Degrees; 115 Lumens

Finish: Black - Silver - White

Size: 1.75" Cutout, 2.31" x 2.31" x .75"



CB06



CB15

CB15

Body: Heavy Duty Cast Aluminum

Power: 1.5W LED COB DC 12V

CCT: 3000K or 5000K

Beam Angle: 19 Degrees; 115 Lumens

Finish: Black - Silver - White

Size: 1.15" Cutout, 1.75" Diameter, .75" Depth

CB07

Body: Heavy Duty Cast Aluminum

Power: 1.8W LED COB DC 12V

CCT: 3000K or 5000K

Beam Angle: 112 Degrees; 200 Lumens

Finish: Black - Silver - White

Size: 2.35" Cutout, 2.5" Diameter, .4" Depth



CB07

SLIM PANEL LIGHTS



CB04-WH



CB04-BN

CB04

Body: Heavy Duty Cast Aluminum

Power: 10W AC/DC 12V LED

CCT: 3CCT (3000K, 4000K, 5000K)

Lumens: 900 LM, Dimmable

Finish: Black, White or Brushed Nickel

Included: Junction Box

Size: 4.65" (W) x .95" (D) x 4.15" (Cutout)



ALUMINUM PROFILES

AP42

Body: Heavy Duty Cast Aluminum


Cover: Frosted, Flat Lens

Finish: Silver or Black

Feature: Recessed Mount

Includes: End Caps and Mounts

Size: .45 (H) x .78" (W) x 98.42" (L)



AP42-SS



AP42-BK

AP44M

Body: Heavy Duty Cast Aluminum


Cover: Frosted, Flat Lens

Finish: Silver or Black


Feature: Recessed Mount

Includes: End Caps and Mounts

Size: .31 (H) x .7" (W) x 98.42" (L)



AP44M-SS



AP44M-BK

AP46M

Body: Heavy Duty Cast Aluminum

Cover: Frosted, Flat Lens

Finish: Silver or Black


Feature: Surface Mount

Includes: End Caps and Mounts

Size: .31 (H) x .59" (W) x 98.42" (L)



AP46M-SS



AP46M-BK

AP59

Body: Heavy Duty Cast Aluminum

Cover: Frosted, Curved Lens

Finish: Silver or Black

Feature: Corner Mount

Includes: End Caps and Mounts

Size: .63 (H) x .87" (W) x 98.42" (L)



AP59-SS



AP59-BK

AP16F

Body: Heavy Duty Cast Aluminum

Cover: Frosted Lens

Finish: Silver or Black


Feature: Wardrobe Rail

Includes: Side and Center Brackets

Size: 1.14 (H) x .59" (W) x 98.42" (L)



AP16F-SS



AP16F-BK

www.ABBALIGHTINGUSA.COM

DIGITAL TRANSFORMERS

TSP200

Body: Commercial Grade Plastic

Power: 200W AC 12V

Finish: Black

Feature: Built-In Photo Cell

Built-In 1-9 Hour Timer

Application: Outdoor Use



TSP200



TSP300

TSP300

Body: Commercial Grade Plastic

Power: 300W AC 12V

Finish: Black

Feature: Built-In Photo Cell

Built-In Astronomic Timer

Application: Indoor/Outdoor Use

DIGITAL TRANSFORMERS



STS150

Body: 304 Stainless Steel

Power: 150W AC 15V

Finish: Stainless Steel

Feature: Plug-In WiFi Enabled Photo Cell and Digital Timer Control

Application: Indoor/Outdoor Use

STS300

Body: 304 Stainless Steel

Power: 300W AC 12V, 15V

Finish: Stainless Steel

Feature: Plug-In WiFi Enabled Photo Cell and Digital Timer Control

Application: Indoor/Outdoor Use



STS Blank

Body: Heavy Duty PVC
Waterproof Rating: IP20

Finish: Black

Feature: Blank Box for STS Transformers



STS

Astronomic

Body: Heavy Duty PVC
Waterproof Rating: IP20

Finish: Black

Feature: Astronomic Timer for STS Transformers



STS WiFi

Body: Heavy Duty PVC
Waterproof Rating: IP20

Finish: Black

Feature: WiFi/Photocell/Timer for STS Transformers



STS Countdown

Body: Heavy Duty PVC
Waterproof Rating: IP20

Finish: Black

Feature: Photocell + Timer for STS Transformers

DIGITAL 2 ZONE TRANSFORMERS

STS2Z300

Body: 304 Stainless Steel
Power: 300W AC 12V, 15V

Finish: Stainless Steel

Features: WiFi Enabled

Built in Photo Cell

Digital Timer

2 Independent Zones

Application: Indoor/Outdoor Use



STS2Z600

Body: 304 Stainless Steel
Power: 600W AC 12V, 15V

Finish: Stainless Steel

Features: Wifi Enabled

Built-In Photo Cell

Digital Astronomic Timer

2 Independent Zones

Application: Indoor/Outdoor Use

STS600

Body: 304 Stainless Steel

Power: 600W AC 12V, 15V

Finish: Stainless Steel

Feature: Built-In Photo Cell and Digital
Astronomic Timer

Application: Indoor/Outdoor Use



MANUAL TRANSFORMERS



TSRPT150

Body: 304 Stainless Steel

Power: 150W AC Multi-tap
12V, 13V, 14V, 15V

Finish: Stainless Steel

Feature: Built-In Photo Cell
Plug In Manual Timer

Application: Indoor/Outdoor Use

TSRPT300

Body: 304 Stainless Steel

Power: 300W AC Multi-tap
12V, 13V, 14V, 15V

Finish: Stainless Steel

Feature: Built-In Photo Cell
Plug In Manual Timer

Application: Indoor/Outdoor Use



TSRPT600

Body: 304 Stainless Steel

Power: 600W AC Multi-tap
12V, 13V, 14V, 15V,

Finish: Stainless Steel

Feature: Built-In Photo Cell
Plug In Manual Timer

Application: Indoor/Outdoor Use



MANUAL TRANSFORMERS



TSR900

Body: 304 Stainless Steel

Power: 900W AC Multi-tap

12V, 13V, 14V, 15V

Finish: Stainless Steel

Feature: Ready for Photo Cell
Ready for Manual Timer

Application: Indoor/Outdoor Use



TSR1200

Body: 304 Stainless Steel

Power: 1200W AC Multi-tap

12V, 13V, 14V, 15V

Finish: Stainless Steel

Feature: Ready for Photo Cell
Ready for Manual Timer

Application: Indoor/Outdoor Use



TSRPT24600

Body: 304 Stainless Steel

Power: 600W AC Multi-tap

12V, 14V, 16V, 18V, 20V, 22V, 24V

Finish: Stainless Steel

Feature: Built-In Photo Cell
Plug In Manual Timer

Application: Indoor/Outdoor Use

DC TRANSFORMERS

TSDC22

Type: LED Driver w/ Switch Port
Body: Heavy Duty Cast Aluminum
Power: 22W DC 12V 1.83A
Finish: Black
Feature: Dimmable, ETL Certified
Application: Indoor/Outdoor Use



TSDC22



TSDC48

Type: LED Driver w/ Switch Port
Body: Heavy Duty Cast Aluminum
Power: 48W DC 12V 4A
Finish: Black
Feature: Dimmable, ETL Certified
Application: Indoor/Outdoor Use

TSDC60

Type: LED Driver w/ Switch Port
Body: Heavy Duty Cast Aluminum
Power: 60W DC 12V 5A
Finish: Black
Feature: Dimmable, ETL Certified
Application: Indoor/Outdoor Use




TSDC60



TSDCS60

Body: Commercial Grade Plastic
Power: 60W DC 12V
Feature: Dimmable, ETL Certified
Application: Strip / Tape Lights



TSDCS96

Body: Commercial Grade Plastic
Power: 96W DC 24V
Feature: Dimmable, ETL Certified
Application: Strip / Tape Lights

DC DRIVERS



MX96

MX96

Type: Dimmable LED Driver

Power: 96W DC 12V 8A or 24V 4A

Feature: Class P, Class 2, Type HL, RoHS, SELV, UL Listed

Application: Indoor/Outdoor Use



MX150

MX150

Type: Dimmable LED Driver

Power: 150W DC 12V 12.5A or 24V 6.25A

Feature: Class P, Class 2, Type HL, RoHS, SELV, UL Listed

Application: Indoor/Outdoor Use



MX200

MX200

Type: Dimmable LED Driver

Power: 200W DC 12V 16.66A or 24V 8.33A

Feature: Class P, Class 2, Type HL, RoHS, SELV, UL Listed

Application: Indoor/Outdoor Use



MX300

MX300

Type: Dimmable LED Driver

Power: 96W DC 12V 25A or 24V 12.5A

Feature: Class P, Class 2, Type HL, RoHS, SELV, UL Listed

Application: Indoor/Outdoor Use

DC TRANSFORMERS

TSDCT12100

Power: 100W **DC 12V**

Material: Heavy Duty Plastic Body

Waterproof Rating: IP65

Feature: Built in PHOTO CELL &
DIGITAL TIMER

*INDOOR/OUTDOOR Use



TSDCT24100

Power: 100W **DC 24V**

Material: Heavy Duty Plastic Body

Waterproof Rating: IP65

Feature: Built in PHOTO CELL &
DIGITAL TIMER

*INDOOR/OUTDOOR Use

TSDLCD12100

Power: 100W **DC 12V**

Material: Heavy Duty Plastic Body

Waterproof Rating: IP65

Feature: Built in PHOTO CELL,
DIGITAL TIMER & ASTRONOMIC TIMER

*INDOOR/OUTDOOR Use



TSDLCD24100

Power: 100W **DC 24V**

Material: Heavy Duty Plastic Body

Waterproof Rating: IP65

Feature: Built in PHOTO CELL,
DIGITAL TIMER & ASTRONOMIC TIMER

*INDOOR/OUTDOOR Use

TRANSFORMER DIMMER SWITCHES

DMR20W

Operating Range: 12-15 VAC

Capacity: 10 Amps (MAX)

Power: 120W

Waterproof Rating: IP2-

Ambient Temperature -20° -40°



TSDIM12 120W 12V

AC Input: 120VAC -1.1A 60Hz 130W > 0.95

DC Output: 12DC 10A 120W

Dimming: 100% - 0.3%

Load Sensing Auto - trim

Single Pole / 3 way

UL Listed, FCC, ROHS

TSDIM24 160W 24V

AC Input: 120VAC -1.5A 60Hz 170W > 0.95

DC Output: 24DC 6.67A 160W

Dimming: 100% - 0.3%

Load Sensing Auto - trim

Single Pole / 3 way

UL Listed, FCC, ROHS



BOLLARD LIGHTS

Available in two premium Finishes: **Black** and **Bronze**.



Up to 140 lm/W high-efficiency output

Selectable 5CCT + 3 wattages

Integrated 3-in-1 switch

5(CCT / wattage / photocell)

Dusk-to-Dawn photocell with ON/OFF control


Wide voltage range: 120-277V or 120-347V

Die-cast aluminum construction

Weatherproof IP65 rating


Impact-resistant IK08 rating

ABBA Lighting USA's new Bollard Series is the premier choice for modern garden and pathway lighting. Each fixture features a 3-in-1 selectable switch, allowing adjustment of CCT, wattage, and photocell ON/OFF functionality. The built-in Dusk-to-Dawn photocell automatically turns the light off at sunrise and activates it at sunset for effortless, energy-efficient operation. Multiple bollard head designs are available to accommodate a wide range of project requirements.



SWITCH

LED LIGHT BULBS



G4 COB

Body: Silicon

Power: 2W or 3W LED AC/DC 12V

CCT: 27K, 3K, 4K or 5K

Lumens: 170LM (2W), 210 LM (3W)

Beam Angle: 360 Degrees

Dimmable: No



G4 SMD

Body: Hard Plastic

Power: 2W, 3W,
LED AC/DC 12V

CCT: 3000K or 5000K

Lumens: 200, 250, 480 LM

Beam Angle: 360 Degrees

Dimmable: Yes



G9 SMD

Body: Hard Plastic

Power: 5W LED AC/DC 12V

CCT: 3000K or 5000K

Lumens: 480 LM

Beam Angle: 360 Degrees

Dimmable: Yes



BA15D

Body: Hard Plastic

Power: 3.5W LED AC/DC 12V

CCT: 3000K or 5000K

Lumens: 400 LM

Beam Angle: 360 Degrees

Dimmable: No

Size: 18 mm (D) x 54 mm (H)



BA15S

Body: Hard Plastic

Power: 5W LED AC/DC 12V

CCT: 3000K or 5000K

Lumens: 480 LM

Beam Angle: 360 Degrees

Dimmable: No

Size: 18 mm (D) x 54 mm (H)



E12 Candelabra

Body: Glass

Power: 3W LED AC/DC 12V

CCT: 3000K or 5000K

Lumens: 280 LM

Beam Angle: 360 Degrees

Dimmable: Yes

Size: 35 mm (D) x 115 mm (H)



E26 Edison

Body: Glass

Power: 4W LED AC/DC 12V

CCT: 3000K, 4000K or 5000K

Lumens: 380 LM

Beam Angle: 360 Degrees

Dimmable: Yes

Size: 35 mm (D) x 98 mm (H)



E12 SMD

Body: Hard Plastic

Power: 4W LED AC/DC 12V


CCT: 3000K or 5000K

Lumens: 450 LM

Beam Angle: 360 Degrees

Dimmable: Yes

Size: 16 mm (D) x 53 mm (H)



IP67 PAR 36

Body: Glass

Power: 10W LED AC/DC 12V


CCT: 3000K, 4000K or 5000K

Lumens: 850 LM

Beam Angle: 160 Degrees

Dimmable: Yes

Size: 111 mm (D) x 62 mm (H)



IP65 PAR 36

Body: Aluminum + Plastic

Power: 12W LED AC/DC 12V

CCT: 3000K, 4000K or 5000K

Lumens: 1000 LM

Beam Angle: 30 Degrees

Dimmable: Yes

Size: 111 mm (D) x 65 mm (H)



SL101-LB2W

Body: Shatterproof Plastic

Power: 2W AC/DC 12V LED

CCT: 3000K or 5000K

Lumens: 90 LM

Beam Angle: 360 Degrees

Dimmable: No

Size: 45 mm (D) x 68 mm (H)

LED LIGHT BULBS



MR11

Body: Aluminum + Plastic
Power: 2.5W LED AC/DC 12V
CCT: 3000K or 5000K
Lumens: 200 LM
Beam Angle: 38 Degrees
Dimmable: No
Size: 35 mm (D) x 35 mm (H)



3W MR16

Body: Glass
Power: 3W LED AC/DC 12V
CCT: 2700K, 3000K, 4000K or 5000K
Lumens: 270 LM
Beam Angle: 38 Degrees
Dimmable: Yes
Size: 50 mm (D) x 47 mm (H)



5W MR16

Body: Glass
Power: 5W LED AC/DC 12V
CCT: 2700K, 3000K, 4000K or 5000K
Lumens: 470 LM
Beam Angle: 38 Degrees
Dimmable: Yes
Size: 50 mm (D) x 47 mm (H)



7W MR16

Body: Aluminum
Power: 7W LED AC/DC 12V
CCT: 2700K, 3000K, 4000K or 5000K
Lumens: 600 LM
Beam Angle: 38 Degrees
Dimmable: Yes
Size: 50 mm (D) x 51 mm (H)



Color MR16

Body: Aluminum + Plastic
Power: 5W LED AC/DC 12V
CCT: Red, Blue, or Green
Lumens: 470 LM
Beam Angle: 38 Degrees
Dimmable: Yes
Size: 50 mm (D) x 47 mm (H)



E27 RGBW

Body: Glass
Power: 6W LED AC/DC 12V
CCT: RGBW
Material: Plastic
CRI: >80
Size: 60 mm (D) x 113 mm (H)
 For GL20, 30 & 40



E27 6W

Body: Glass
Power: 6W LED AC/DC 12V
CCT: 2700K
Material: Plastic
CRI: >80
Size: 60 mm (D) x 113 mm (H)
 For GL20, 30 & 40

24V LED LIGHT BULBS



G4 4W DC SMD

Body: Aluminum + Plastic
Power: 4W DC 24V LED
CCT: 2700K, 3000K, 4000K & 5000K
Lumens: 400 LM
Beam Angle: 38° Degrees
Size: 18 mm (D) x 47 mm (H)



MR11 2W DC

Body: Aluminum + Plastic
Power: 2W DC 24V LED
CCT: 2700K, 3000K, 4000K & 5000K
Lumens: 200 LM
Beam Angle: 38° Degrees
Size: 35 mm (D) x 45 mm (H)



MR16 5W DC

Body: Glass
Power: 5W DC 24V LED
CCT: 2700K, 3000K, 4000K & 5000K
Lumens: 400 LM
Beam Angle: 38° Degrees
Size: 50 mm (D) x 45 mm (H)



PAR36 12W DC

Body: Aluminum + Plastic
Power: 12W DC 24V LED
CCT: 2700K, 3000K, 4000K & 5000K
Lumens: 1000 LM
Beam Angle: 60° Degrees
Size: 111 mm (D) x 65 mm (H)

RGBCW LED LIGHT BULBS



G4

Body: Aluminum

Power: 2.5W LED AC/DC 12V

CCT: RGBCW

Lumens: 150 LM

Beam Angle: 360 Degrees

Dimmable: Yes

Control: 2.4G and Bluetooth

5.0 dual-enabled signal

Features: Group control, linkable, timing, sync with music, voice control, scenes

Size: 28mm (D) x 49.5mm (H)



MR16

Body: Aluminum

Power: 5W LED AC/DC 12V

CCT: RGBCW

Lumens: 270 LM

Beam Angle: 60 Degrees

Dimmable: Yes

Control: 2.4G and Bluetooth

5.0 dual-enabled signal

Features: Group control, linkable, timing, sync with music, voice control, scenes

Size: 50mm (D) x 51mm (H)



PAR36

Body: Aluminum

Power: 13W LED AC/DC 12V

CCT: RGBCW

Lumens: 650 LM

Beam Angle: 60 Degrees

Dimmable: Yes

Control: 2.4G and Bluetooth

5.0 dual-enabled signal

Features: Group control, linkable, timing, sync with music, voice control, scenes

Size: 111mm (D) x 48mm (H)



RGBCW ACCESSORIES



RFR01

Body: RGBCW Remote

Body: PVC Plastic

Feature: 4 Zones, Dimming, Grouping, Colors and White CCT Control



RFE01

Body: BT Range Extender

Body: Aluminum

Waterproof Rating: IP68

Power: 12V AC/DC Input

Feature: 49ft Radius Coverage

Included: 98" Wire

PALM TREE ACCESSORY

TRA01

Material: Heavy Duty Cast Aluminum

Finish: Black

Size: 23.5" (D) x 1.5" (W)

Features


- Four holes ready for fixtures
- Lights can be directed up or down
- Fits Tree Width Diameter min. 10.25" to max. 20.75"



ACCESSORIES



BP3
Bracket
Cast Brass
Corrosion Proof
1/2" Threading



SSB1
Gutter Mount
Stainless Steel
Corrosion Proof
1/2" Threading



WN12
Wire Nuts
Pre Grease Filled
Waterproof
Corrosion Proof
For #22 - #12 AWG



WN14
Wire Nuts
Pre Grease Filled
Waterproof
Corrosion Proof
For #22 - #8 AWG




JB08
Junction Box
ABS Body
Waterproof
8 Rubber Cap Holes
ABS Ground Spike




PV51
PVC Post w/ Cap
Black
For Soft Soil
17.5" (L) x 3" (W)



PS3
ABS Plastic Spike
Black
8.5" (L) x 3" (W)




HC01
Honeycomb Filter
For MR16 Fixtures
Black
2" (L) x .1" (W)




HC02
Honeycomb Filter
For PAR36 Fixtures
Black
4.3" (L) x .1" (W)



DMX30
2 ports - SPI ports: 2 ports
5V DC, 7-32V DC Input
2W AC 12V (Adapter Needed)
90 x 96.3 x 32.5 mm (L x W x H)




DMX31
120W Power Supply, IP20
Input: 12V DC, Output: 220V AC
Used with RGB Brick Light
Connect 220V AC Directly




LWR6
6 Core Wire
2*1 mm 2 Power Cable
+ 4*0.3 mm 2 Signal Wire
250 feet or 500 feet / roll

ACCESSORIES



AC TO DC CONNECTOR

For Rope Lights
Maximum 50W



GL BASE

For GL Series



GL CHAIN

For GL Series



PCS01 PHOTOCELL

Voltage: 120 VAC
Frequency: 60 Hz
Maximum Current: 4.2A
Maximum Power: 500W Corrosion Proof
1/2" Threading



PR01-Motion Sensor Switch Control



PS1 - ABS
PLASTIC SPIKE
Heavy Duty ABS Plastic
Finish: Black
Size: 8.06" (L) x 1.95" (W)
1/2" Threading



PS2 - ABS
PLASTIC SPIKE
Heavy Duty ABS
Plastic



PS6 ALUMINUM POST EXTENSION

Heavy Duty ABS Plastic
Finish: Black
Size: 6.62" (L) x 1" (D)
1/2" Threading



TM01 MECHANICAL TIMER

Body/Material: Heavy
Duty PVC Body
Finish: Black
Size: 3.20" (L) x
1.70" (W) x 4.95" (H)
Feature: 24 Hour
Mechanical Timer



TM02 MECHANICAL TIMER

Finish: White



SLGC55/110/165

Galvanized Wire Kit
55 ft, 110 ft, or 165 ft
Snap Hooks, Turnbuckles,
Eye Straps, Rope Clamps,
Screws, Wall plug, Wrench



WN16-
WIRENUT
Material: Heavy Duty
ABS Plastic

ACCESSORIES




AP1

Heavy Duty Cast Aluminum
Black or Brown
2.75"(L) x 2.75"(W) x .75"(H)



BP1

Heavy Duty Cast Brass
Natural Brass, Dark Brass, or
Black
2.75"(L) x 2.75"(W) x .75"(H)



BP2

Heavy Duty Cast Brass
Natural Brass or Dark Brass
2.5"(L) x 2.5"(W) x 1"(H)



BPE6

Brass Post Extension
Natural Brass or
Dark Brass
6 in.



BPE12

Brass Post Extension
Natural Brass or
Dark Brass
12 in.



BPE24

Brass Post Extension
Natural Brass or
Dark Brass
24 in.



BRL2

Brass 90° Elbow Adapter
Natural Brass
Dark Brass, or Black
For Post Extensions



BRT1

Brass Tee Adapter
Natural Brass
Dark Brass, or Black
For Post Extensions



BR2

Brass Coupling
Natural Brass
Dark Brass
For Post Extensions

DIRECT BURIAL WIRES

8/2

100/250/500/1000
FT.



Body/Material: 100%
Copper Conductors
Rated: -20°C to 60°C
Certification: UL, ETL,

10/2

100/250/500/1000
FT.



Body/Material: 100%
Copper Conductors
Rated: -20°C to 60°C
Certification: UL, ETL,

12/2

100/250/500/1000
FT.



Body/Material: 100%
Copper Conductors
Rated: -20°C to 60°C
Certification: UL, ETL,

14/2

100/250/500/1000
FT.



Body/Material: 100%
Copper Conductors
Rated: -20°C to 60°C
Certification: UL, ETL,

16/2

100/250/500/1000
FT.



Body/Material: 100%
Copper Conductors
Rated: -20°C to 60°C
Certification: UL, ETL,

CRG WIRES



CRG WIRE

16 6-250



CRG WIRE

16 6-500

INDEX

<u>PATH LIGHTS</u>		<u>PATH LIGHTS</u>		<u>SPOT LIGHTS</u>		<u>WELL LIGHTS</u>		<u>UNDERWATER LIGHTS</u>	
CDPA50	19	PLB13	7	SPB06	31	CRG30WW	58	ULB02	47
CDPA51	26	PLB14	10	SPB07	42	CRG31	58	ULB03	47
CDPA52	26	PLB15	10	SPB08	32	RGBW	58	<u>HARDSCAPE LIGHTS</u>	
CDPA53	23	PLB16	10	SPB09	29	CRG31 WW	58		
CDPA54	21	PLB17	11	SPB10	32	CRG32	59	STB01	
CDPA55	26	PLB18	11	SPB11	28	CRG33	59		
CDPA56	21	PLB19	12	SPB12	30	DM52	56	STB05	70
CDPA57	25	PLB20	13	SPB13	31	DM53	57	STB06	70
CDPA60	22	PLB21	13	SPB14	28	DMB52	57	STB12	69
CDPA61	22	PLB22	13	SPS02	33	DMS52	56	STB14	70
CDPA62	23	PLB23	14	SPS03	33	UNA06	54	STB20	69
CDPA63	23	PLB24	14	<u>STEP LIGHTS</u>		UNA07	54	STB21	70
CDPA64	23	PLB25	14			UNB01	48	STB23	71
CDPA65	19	PLB26	8	STA03	66	UNB02	50	STB24	71
CDPA66	21	PLB27	15	STA04	66	UNB03	50	STB25	71
CDPA67	24	PLB28	15	STA05	65	UNB04	49	STBR01	69
CDPA68	24	PLB29	15	STA06	68	UNB06	49	STBR05	69
CDPA69	24	CD12	38	STA07	67	UNB07	50	STBR06	69
CDPA70	24	CD20	38	STA08	67	UNB08	48	<u>WALL LIGHTS</u>	
CDPA71	27	CD30	38	STA09	65	UNB09	51		
CDPA72	26	CDRA12	39	STA10	67	UNB10	51	SCA01	75
CDPA73	20	CDRA20	39	STA11	68	UNB11	51	SCA02	75
CDPA74	25	BLE SPB	5	STB02	61	UNB12	51	SCA03	75
CDPA75	25	BTE SPB	6	STB03	61	UNF07	55	SCA04	75
CDPA76	27	<u>SPOT LIGHTS</u>		STB07	62	UNF08	55	SCB05	74
CDPA77	20			STB08	62	UNS01	52	SCS06	74
CDPA78	20	CCDA95	37	STB09	65	UNS02	52	STA05	74
CDPS58	17	CDRA95	37	STB10	60	UNS03	53	<u>ROPE LIGHTS</u>	
CDPS59	17	CD12	38	STB11	60	UNS04	53		
CDPSR58	18	CD20	38	STB16	60	UNS05	53	RL50	72
CDPSR59	18	CD30	38	STB19	64	<u>FLOOD LIGHTS</u>		RL100	72
CDPAR60	22	CD43	35	STB22	64			<u>STRING LIGHTS</u>	
CDPS70	16	CD45	36	STBCC17	63	FLA RGBCW	41		
CDPS71	16	CD75	35	STBCC18	63	FLACCT20	40	SL101	73
CDPS72	16	CD85	36	STS02	64	FLACCT40	40	RL50	72
PLB01	7	CDR85	36	STS09	65	FPB01	41	RL100	72
PLB02	7	CDRA12	39	<u>HANGING LIGHTS</u>		FPB03	41	<u>MOON LIGHTS</u>	
PLB03	8	CDRA30	39			FPB05	42		
PLB04	8	DL01	34	CD90		FPBCC04	41	GL20	45
PLB05	9	DL02	34			FPBCC05	42	GL30	45
PLB06	8	DL05	34	HLB01	44	<u>UNDERWATER LIGHTS</u>		GL40	45
PLB07	9	DL05R	37	HLB02	44			<u>CABINET LIGHTS</u>	
PLB08	11	SPB01	29	HLB09	44	PL15 RGB	46		
PLB09	11	SPB02	28	HLS70	43	PL15 RGBCW	46	CB04	77
PLB10	9	SPB03	29	<u>WELL LIGHTS</u>		PL54 RGB	46	CB05	76
PLB11	12	SPB04	30			PL54 RGBCW	46	CB06	76
PLB12	12	SPB05	29	CRG30 RGBW	58	ULB01	47	CB07	76
								CB15	76

INDEX

BRICK LIGHTS

CRG30	58
CRG31	58
CRG32	59
CRG33	59
DMX30	91
DMX31	91

LIGHT BULBS

BA15D	87
E12 4W	87
E12 3W	87
E26 4W	87
E27 RGBCW	88
E27 2700	87
G4 2W	87
G4 2W SMD	87
G4 3.5W	87
G4 3W COB	87
G4 3W SMD	87
G4 4W DC	87
G4 5W DC	88
G4 RGBCW	89
G9 5W SMD	87
MR11 2.5W	88
MR11 2W DC 24V	88
MR16 3W	88
MR16 5W 24V	88
MR16 5W 12V	88
MR16 COLORED	88
BULBS	88
MR16 7W	89
MR16 RGBCW	89
PAR36 RGBCW	87
PAR36 10W	88
PAR36 12W 24V DC	87
PAR36 12W	87
SL101-LB2W	87

ALUMINUM PROFILE

AP16F	78
AP42	78
AP44	78
AP46	78
AP59	78

ACCESSORIES

AC TO DC CONNECTOR	92
AP1	93
BP1	93
BP2	93
BP3	91
BPE6	93
BPE12	93

ACCESSORIES

BPE24	93
BR2	93
BRL2	93
BRT1	93
DMR20W	94
DMX30	91
DMX31	91
GL BASE	92
GL CHAIN	92
HCO1	91
HCO2	91
JB08	91
PCS01	92
PR01	92
PS1	91
PS2	91
PS3	91
PS6	92
PV51	91
SLGC55	92
SLGC111	92
SSB1	91
STSB	80
STSMCD	80
STSLCD	80
STSW	80
TM01	92
TM02	92
TRA01	90
WN12	91
WN16	91

TRANSFORMERS

MX2496	85
MX24150	85
MX24200	85
MX24300	85
STS150	80
STS300	80
STS600	81
STS2300	81
STS2600	81
TS200	79
TSDC22	84
TSDC48	84
TSDC60	84
TSDCS60	84
TSDCS96	84
TSDCT12100	86
TSDCT24100	86

TRANSFORMERS

TSDLCD12100	86
TSDLCD24100	86
TSP300	79
TSR900	83
TSR1200	83
TSRPT150	82
TARPT300	82
TSRPT600	82
TSRPT2600	83



ABBA

LIGHTING USA



2026 EDITION

